Index

- access priority to food, 106
adaptive-combination theory, 154
adult play, 2, 3
affiliation, 14, 20, 27, 67, 74–77, 82, 84
affiliative behavior, 301
Africa, 8, 16, 59, 108, 130, 180, 186, 202, 204, 206
age differences, 15, 32
age-sex class, 93, 94, 98, 99
aggression, 3, 5, 18–24, 26–28, 30, 31, 70, 73, 82, 84, 276, 277
aggression frequency, 19, 22–24, 26, 27, 31
aggression symmetry, 19, 22, 24, 26, 31
agonistic interaction, 18, 73
allocentric, 6, 129–144, 146, 148–156
altruism, 32
Anonidium mannii, 92, 95, 97–100
asymmetry, 215, 225, 231, 233, 234, 239

basal ganglia, 132
Beaune, David, 113, 118
begging, 5, 20, 89, 91, 92, 95, 96, 105, 106, 237

begging for social bond hypothesis, 106
behavioural predisposition, 180, 205, 206
bimanual action, 215, 217, 223, 235
bonobo (*Pan paniscus*), 1–9, 12, 13, 15–23, 25–33, 39–49, 51, 53, 55–59, 67–77, 79, 81–85, 89, 91–95, 97–99, 101, 103–107, 113, 115, 117–125, 129, 131, 133–145, 147–156, 161, 163, 164, 167–174, 179–187, 194, 196–206, 215–223, 225–229, 231–240, 247, 249–252, 255–257, 260, 261, 263, 265–267, 270, 271, 275–279, 281, 283, 285–287, 289–291, 293–295, 299–305, 307–313
bonobo movement, 117
BrainVisa, 219, 227

captive bonobos, 17, 31, 203
captivity, 3, 5, 6, 16, 17, 32, 91, 104, 130, 205, 216, 235, 300
causality, 164, 165, 167–169, 171–173, 205
central sulcus, 219, 227–230, 233

- chimpanzee (*Pan troglodytes*), 1–3, 5–8, 13–17, 20, 25–32, 40, 41, 55–58, 70, 83, 89–93, 103–106, 133–135, 155, 156, 161, 163, 164, 166–173, 179–186, 188–190, 195–206, 215–223, 225–239, 247–251, 253, 255–258, 260, 261, 265, 267, 270, 271, 276–278, 285, 290, 294, 295, 299–305, 307–313
- Cissus*, 116, 120–123
- Clay, Zanna, 67, 69
- coalitionary support, 16, 18, 312
- cognition, 1, 2, 4–6, 129, 130, 133–135, 143, 154–156, 161–165, 167–174, 205, 216, 248, 276, 281
- cognitive ability, 166
- cognitive development, 129, 142, 150, 156
- cognitive evolution, 2, 161, 276
- cognitive map, 130, 153
- communication, 164, 165, 167, 169, 171, 172, 215–217, 236, 237, 248, 263, 270
- communicative intention, 7, 247, 249, 250, 263, 268, 270
- comparative research, 161
- competition, 40, 56, 68, 71, 72, 84, 204, 257, 279
- competitive, 7, 41, 55, 71, 124, 163, 172, 173, 216, 247, 249–251, 255–258, 260, 261, 263–270, 290
- conflict, 5, 19, 67, 69–73, 75–85, 300
- Congo Basin, 6, 8, 117, 180, 184
- Congo River, 4, 117, 180, 204
- conservation, 8, 13, 117, 125, 179, 206, 207
- consolation, 5, 67, 70, 74–84, 276
- cooperation, 6, 89–92, 103, 107, 162, 216, 257, 276, 294, 300, 301, 311
- cooperative, 3, 7, 90, 103, 162, 247–251, 255–258, 260–270, 299, 301, 302, 309, 311
- cooperative hunting, 3, 90, 103
- cooperative-communicative, 249–251, 258, 262
- copulation, 43, 47, 49, 51, 56, 58, 74, 77, 82, 83, 96, 103, 194, 277
- cortical folding, 219, 227–230, 238
- counterbalancing, 292–295
- courtesy food sharing, 89
- cross maze task, 132, 136
- culture, 5, 108, 216
- dead reckoning, 130
- Democratic Republic of Congo, 2, 4, 93, 117, 136, 156, 163, 164, 174, 179–181, 251, 271, 275, 302, 313
- design, 156, 255, 256, 258, 260, 265, 266, 269, 278, 291–295, 303
- Dialium*, 97, 116, 118, 120–123
- directionality, 250, 268
- dispersal distance, 113–115, 117–125
- E1 group, 43–45, 93, 94, 97, 102, 198
- ecology, 5, 59, 60, 107, 114, 116, 125, 134, 163, 167, 180

- egocentric, 6, 129–139, 141, 143, 144, 146, 148–153, 155, 156
- embrace, 67, 68, 70, 73, 74, 76, 77, 82
- endangered species, 2
- environment, 59, 85, 92, 105, 108, 129–134, 136, 152, 153, 155, 156, 163, 174, 181, 206, 306, 311, 313
- environmental condition, 187, 205
- evolution, 2, 3, 5, 6, 8, 40, 42, 59, 89, 90, 93, 107, 108, 156, 161, 181, 215, 217, 235, 276, 294
- evolution of sexual swelling, 40, 42, 59
- evolutionary context, 1
- evolutionary process, 1
- experiment, 153, 225, 251–253, 257–268, 275, 277–282, 284–292, 294, 299, 302, 304, 310–312
- extractive foraging, 3, 7
- false negative, 291, 294
- false positive, 291
- feeding competition, 56, 68, 72
- female, 2, 3, 5, 6, 13–17, 21, 23, 25, 29–32, 39–45, 47, 49, 51, 53, 55–59, 69, 76, 80, 82, 83, 91, 93, 94, 98, 99, 101, 103, 106, 119, 143, 149, 151, 168, 170–172, 180, 203, 300, 303, 304, 309, 310
- female alliance, 2
- female sexuality, 59
- female–female relationships, 5, 6, 14–17, 21, 23, 25, 29–32, 41, 42, 55, 58, 59, 69, 83, 106, 300
- female-biased sharing, 106
- firmness of sexual swelling, 44
- flexibility, 59, 130, 217, 247–249
- food sharing, 5, 14, 20, 68, 89–92, 94, 103–106
- food type, 94, 97
- foraging, 3, 5–7, 68, 114–117, 119, 123–125, 129, 130, 133, 134, 155, 182, 270, 311
- foraging behaviour, 6, 124
- forest structure, 113
- free ranging, 117
- frugivores, 114, 115, 117, 123, 124
- fruit, 5, 89, 91–107, 113–121, 123–125, 179, 182–185, 194, 197–202, 282, 283, 285–288
- fruit availability, 124
- fruit quality, 113, 123, 124
- fruit sharing, 89, 91–93, 95, 97–99, 101, 103–107
- fruit trait, 118
- Furuichi, Takeshi, 39, 107
- Gambeya*, 116, 117, 119, 120, 122, 123
- gaze, 165, 166, 169, 247, 250, 263, 264
- generalization, 143, 150, 151, 155
- genital contact, 5, 69
- genito-genital rubbing, 42, 47, 51, 56, 74, 96, 98, 103, 105
- gesture, 20, 221–223, 232, 247–250, 254, 255, 257–259, 261–269
- Goulougo Triangle, 181, 184–186, 196, 197, 207
- graded signal hypothesis, 39, 41

- grasping morphology, 218, 223, 226, 233, 237, 238
Grewia, 116, 120, 122, 123
 groom, 24, 30, 49, 73, 76, 79, 195, 196, 300, 301, 303, 305–309, 311
 grooming frequency, 16, 19, 22, 51, 54
 grooming reciprocity index, 48, 52, 54, 55
 grooming symmetry, 19, 22, 26, 27

 habit formation, 130
 habitat type, 183, 187–193, 202
 handedness, 7, 215–221, 223–227, 229, 231–237, 239, 240
 harassment, 90–92
 Hare, Brian, 1, 32, 84, 85, 107, 156, 247, 275, 299
 helping, 60, 277, 294, 295
 hippocampus, 132, 219
 Hopkins, William, 179
 hormone, 161, 162, 174
 human contact, 270
 human evolution, 2, 3, 108
 human uniqueness, 1, 239, 277

 immigrant females, 42, 57, 58
 imperative, 248
 inhibition, 290
 inhibitory control, 269, 270
 intentions, 7, 165, 166, 247, 249, 250, 263, 268, 270
 invention hypothesis, 180, 181, 183, 203

 junglesop fruit, 89, 92, 94, 97–100, 103, 106, 107

 kinship, 15–17, 21, 23, 28, 29

 landmarks, 6, 131, 133, 153–155, 229
 language, 33, 130, 131, 133, 135, 154, 156, 215, 217, 248
 lemurs, 57
 lethal aggression, 3
 life-history stage, 39, 42
 local enhancement, 262, 263, 266, 289–291, 294
 Lola ya bonobo, 4, 67, 69, 72, 77, 85, 136, 145, 156, 164, 174, 251, 271, 275, 281, 295, 302, 304, 312, 313
 Lola ya Bonobo Sanctuary, 4, 67, 69, 72, 136, 145, 164, 174, 281, 313
 LuiKotale, 116–119, 121–123, 125
 Luo Scientific Reserve, 43, 60, 93, 183

 MacLean, Evan, 247
 magnetic resonance imaging, 226
 male, 3, 6, 14–17, 21, 23, 25, 29–31, 39–42, 55, 56, 58, 59, 76, 80, 82, 90, 98, 99, 102, 103, 150, 151, 161–163, 168–173, 180, 195, 216, 300, 303, 304, 310
 male–female relationships, 14–16, 21, 23, 25, 29, 30, 103
 male–male relationships, 3, 15, 21, 23, 25, 29, 30
 male-philopatric social systems, 39, 305
 matrix analysis, 96, 102
 meat sharing, 89, 90, 103, 104

- memory, 6, 131, 132, 134–136, 141, 152, 155, 156, 161–166
- motor-hand area, 215, 217, 219, 229
- motor skill, 219, 220, 235
- multiple memory systems, 131, 152
- mutualism, 91

- navigation, 130, 162
- necessity hypothesis, 179, 181, 182, 200, 201
- non-conceptive sex, 2, 3, 68
- nutritional value, 92, 106, 116, 120, 203

- object choice, 250, 251, 259, 262, 263, 268
- object permanence, 164, 165
- one-hour party method, 46
- opportunity hypothesis, 181, 183, 202
- optimal foraging, 6, 114, 124, 125
- other-regard, 275, 277, 290, 295
- other-regarding preference, 275–277, 289
- ovulation, 5, 40, 41

- Pancovia*, 97, 116, 122, 123
- partner choice, 311
- party size, 182, 184, 185, 198, 199, 203, 204
- passive transfer, 96, 102
- peering, 18–20, 22–24, 77, 82, 96
- perineal sexual skin swelling, 39
- phenotypic differences, 2
- physical cognition, 168–171
- play, 2, 3, 7, 8, 42, 58, 67, 71, 73, 74, 76, 77, 79, 82, 133, 173, 194, 196, 201, 205, 216, 239, 281, 299–303, 306–309, 311, 312
- pointing, 8, 135, 165, 166, 237, 248, 250, 254, 255, 259, 262, 264–268, 270
- post conflict-matched control, 73
- post-conflict, 67, 69–73, 75–85
- postnatal infertility, 44
- precentral gyrus, 215, 217, 219, 239
- pretest, 275, 278, 279, 281–295
- primate, 8, 33, 39, 41, 59, 67, 68, 85, 107, 130, 136, 155, 163–165, 179, 215, 220, 237, 239, 240, 269, 277, 278
- proactive transfer, 95, 102
- prohibitive, 247, 249–251, 253, 255, 257–259, 261, 263, 265, 267, 269, 271
- prolonged maximal swelling periods, 39, 58
- prosociality, 7, 95, 275, 277, 285, 287, 289, 290, 295
- prosocial choice task, 275, 277, 278, 289, 290, 293–295

- quantities, 92, 105, 115, 164, 165, 167, 169, 171, 282, 283

- rainfall, 186–193
- rank differences, 21, 31
- reactive transfer, 95, 102
- reciprocity, 23, 26, 39, 43, 48, 52–55, 57, 58, 89–92, 102, 104, 106, 282, 300, 311, 312
- reconciliation, 5, 67, 70, 74–84

- relationship quality, 13–17, 19–23, 25–32
- relative profitability hypothesis, 180, 181, 183, 203
- reliable quality indicator hypothesis, 41
- reliance on mothers, 2
- reputation, 310, 311
- rodents, 115, 132, 139, 162
- Rosati, Alexandra, 129
- Ryu, Heungjin, 39, 107
- saliva samples, 164, 166, 167
- sanctuary, 4, 67, 69, 72, 73, 83, 107, 136, 137, 145, 153, 164, 174, 270, 271, 281, 302, 313
- Schroepfer-Walker, Kara, 299
- seed dispersal, 6, 113–115, 117–125
- seed shadow, 114
- self-directed behaviour, 203
- self-regard, 278, 279, 282–295
- self-scratch, 76
- sex differences, 168, 233
- sexual behaviour, 3, 5, 56, 67–69, 71, 73, 75, 77, 79, 81, 83–85
- sharing, 2, 3, 5, 7, 14, 20, 68, 72, 89–107, 124, 194, 276, 277, 286, 294
- sharing-under-pressure, 89, 90, 105, 106
- simple reaching, 215, 217, 223, 224
- social behavior, 59
- social bond, 5, 106
- social bonding, 15, 16, 29, 30, 42, 56–58
- social bonds, 14, 67, 71, 72, 77, 81, 89, 106, 300
- social cognition, 168, 169, 171, 216, 248
- social cues, 269
- social currency, 8, 299, 301–303, 305, 307, 309–311, 313
- social learning, 96, 164, 165, 167, 169, 171, 203
- social passport hypothesis, 41, 56
- social relationships, 5, 13, 14, 30, 31, 42, 58, 84, 92, 107, 299–301, 309
- social tolerance, 20, 270, 277
- socio-sexual behaviour, 56, 68, 69
- space, 6, 124, 130–133, 135, 143, 154, 155, 164, 165, 167–169, 171–173, 305
- spatial cognition, 6, 129, 130, 133–135, 143, 154, 156, 161, 162, 172, 216
- spatial relations, 129–131, 133, 135, 143, 152–154, 164
- species difference, 200, 205, 219, 234, 310
- steroid hormone, 161
- Stevens, Jeroen, 13
- stress, 58, 67, 68, 71, 74, 76, 79, 226, 302
- surface area, 219, 220, 228–231, 233, 234, 238, 239
- swelling for female attraction, 42
- Tan, Jingzhi, 275
- task demands, 270
- tension reduction, 56, 58, 67, 71, 98

- tenure, 8, 17, 21, 23–25, 28, 31, 32, 56
- testosterone, 6, 161–163, 165–173
- The forgotten ape, 1, 2
- theory of mind, 164–167, 169, 171, 172, 205
- tolerance, 14, 20, 26, 58, 89, 270, 277, 301, 302
- tool use, 5, 7, 164, 165, 179–185, 187, 189, 191, 193–197, 199–207, 215, 217, 235
- tool-assisted feeding, 181, 200, 204
- touch, 69, 73, 76, 77, 82
- transit time, 113–115, 117–119, 122, 124
- Treculia* (*Treculia africana*), 93, 97, 105, 116, 122, 123
- validity, 125, 183, 294, 295
- Wamba, 4, 5, 7, 12, 43, 59, 89, 91–94, 97, 103–107, 123, 179–186, 188, 194–203, 206
- Wamba forest, 91, 92, 186
- wild bonobos, 1, 2, 4, 7, 30, 39, 43, 89, 91–93, 95, 97, 99, 101, 103–105, 107, 179, 180, 194, 196, 200, 202, 203, 206
- Wobber, Victoria, 161, 299
- Yamamoto, Shinya, 1, 12, 32, 84, 89, 95, 100
- zoochory, 113