REVIEW

Computer-aided Wood Identification. Reference Manual. E.A. Wheeler, R.G. Pearson, C.A. La-Pasha, T. Zack and W. Hatley, 160 pp., illust., 1986. Bulletin 474 of the North Carolina Agricultural Research Service, North Carolina State University, Raleigh, NC 27695-7603, U.S.A. Price: US\$ 5.00 (paper; associated software available from E.A. Wheeler, Dept. of Wood and Paper Science, Box 8005, North Carolina State University, Raleigh, NC 27695-8005, U.S.A. at US\$ 20.00 plus postage).

'Computer-aided wood identification' is a manual primarily intended for the teaching of students in forestry, wood science and botany. However, since it is backed by a computerised database containing all the information of the perforated card keys compiled at Oxford and Princes Risborough and considerably expanded by information from the literature, the manual will also be of great interest to all professional wood anatomists, who have to engage in identification work from time to time.

Basically this manual is an updated, expanded and combined version of Brazier and Franklin's time-honoured 'Identification of Hardwoods — A microscope Key' (1961), Phillips's unsurpassed 'Identification of Softwoods' (1948) and two more recent atlases on fibre identification by Côté (1980) and Parham and Gray (1982). The major part is on hardwood identification. Here the database is explained and its expansion with monographic literature data and information from recent regional surveys is fully accounted for, before a 100 page, illustrated explanation of hardwood features is given. Furthermore there are two shorter parts on softwood identification and hardwood fibre identification designed along the same lines. The last chapter only includes species commonly used in the U.S.A.; the others are worldwide in their scope. The complete database associated with the manual consists of over 5000 entries (either corresponding with species or species groups; sometimes with more than one entry per species). In the manual there are interesting tables giving the incidence (as a percentage) of each feature in the database. Probably this is the best approximation of their frequency of occurrence in world woods available to date.

Most of the printing space is devoted to micrographs of the features to be explained. Both text and illustrations are of a very high quality and easy to understand by the novice in wood anatomy. Students and experienced wood anatomists alike should welcome this tremendous service, offered at very low cost by the team from North Carolina.

Having said this, there is, however, one aspect, carefully ignored throughout the text of this manual, which cannot remain unmentioned in a review in this Bulletin: the characters used deviate in several ways from the standard list proposed by the IAWA Committee in 1981 (copies of which are still available from the IAWA office). In a way the publication of this manual may thus be taken as an indication of the IAWA Committee's failure to attract overall support for their ideals to aim at greater detail in the characters to be coded, and to evaluate even more critically the authenticity of samples on which existing card keys were based or to guarantee such authenticity for newly coded taxa. The pros and cons of the alternative approaches have been elaborately discussed in the columns of this Bulletin and do not need to be repeated here. Wheeler's team is certainly not alone in its opinion that the conversion of existing card keys is at this moment in time a more productive approach than to opt for an admittedly more complex, but hopefully more perfect database. As one of the coordinators of the IAWA Committee I feel a bit disappointed by this course of events. At the time we encountered broad support for the Committee's more painstaking approach at various IAWA meetings and in correspondence from anatomists all over the world. Nevertheless international standardisation and modernisation, as usual, apparently have to give way to pragmatism and tradition. As long as this does not lead to provincialism (here I mean the maintenance of all locally evolved peculiarities in the perforated card key systems) no great harm is done, and one has to be philosophical about the limited success of the IAWA Committee's idealistic efforts. Admittedly the rather unfortunate choice (dictated by limited options at the time) of the Morse system for three types of codes has contributed much to the lack of enthusiasm from those actively involved in wood identification. However, as pointed out before, the most essential part of the recommendations of the 1981 IAWA Committee publication is the standard list of characters, not the coding procedure. Let us hope that the merits of this standard list will continue to support an international effort to create a database along its lines, entirely based on botanically authenticated specimens. As long as this long-term aim has not yet been achieved, the computerised database of Wheeler et al. and its associated manual will remain a most welcome tool to make wood identification more efficient.

Pieter Baas